

Year 3 Annual Report
Massachusetts Small MS4 General Permit
Reporting Period: July 1, 2020-June 30, 2021

Please DO NOT attach any documents to this form. Instead, attach all requested documents to an email when submitting the form

Unless otherwise noted, all fields are required to be filled out. If a field is left blank, it will be assumed the requirement or task has not been completed. Please ONLY report on activities between July 1, 2020 and June 30, 2021 unless otherwise requested.

Part I: Contact Information

Name of Municipality or Organization: North Attleborough

EPA NPDES Permit Number: MAR041142

Primary MS4 Program Manager Contact Information

Name: Mark Hollowell Title: Director of Public Works

Street Address Line 1: 49 Whiting Street

Street Address Line 2:

City: North Attleborough State: MA Zip Code: 02760

Email: mhollowell@nattleboro.com Phone Number: 508-695-9621

Stormwater Management Program (SWMP) Information

SWMP Location (web address): <https://www.nattleboro.com/departm ent-of-public-works/pages/stom water-management-program>

Date SWMP was Last Updated: June 2021

If the SWMP is not available on the web please provide the physical address:

Part II: Self-Assessment

First, in the box below, select the impairment(s) and/or TMDL(s) that are applicable to your MS4. Make sure you are referring to the most recent EPA approved Section 303(d) Impaired Waters List which can be found here: <https://www.epa.gov/tmdl/region-1-impaired-waters-and-303d-lists-state>

| | | | |
|--|---|---|--|
| <u>Impairment(s)</u> | | | |
| <input checked="" type="checkbox"/> Bacteria/Pathogens | <input type="checkbox"/> Chloride | <input type="checkbox"/> Nitrogen | <input checked="" type="checkbox"/> Phosphorus |
| <input checked="" type="checkbox"/> Solids/ Oil/ Grease (Hydrocarbons)/ Metals | | | |
| <u>TMDL(s)</u> | | | |
| <i>In State:</i> | <input type="checkbox"/> Assabet River Phosphorus | <input type="checkbox"/> Bacteria and Pathogen | <input type="checkbox"/> Cape Cod Nitrogen |
| | <input type="checkbox"/> Charles River Watershed Phosphorus | <input type="checkbox"/> Lake and Pond Phosphorus | |
| <i>Out of State:</i> | <input checked="" type="checkbox"/> Bacteria/Pathogens | <input checked="" type="checkbox"/> Metals | <input type="checkbox"/> Nitrogen |
| | | | <input checked="" type="checkbox"/> Phosphorus |
| | | | <input type="button" value="Clear Impairments and TMDLs"/> |

Next, check off all requirements below that have been completed. **By checking each box you are certifying that you have completed that permit requirement fully.** If you have not completed a requirement leave the box unchecked. Additional information will be requested in later sections.

Year 3 Requirements

- Inspected and screened all outfalls/interconnections (excluding Problem and Excluded outfalls)
- Updated outfall/interconnection priority ranking based on the information collected during the dry weather inspections as necessary
- Post-construction by law, ordinance, or other regulatory mechanism was updated and adopted consistent with permit requirements

Optional: If you would like to describe progress made on any incomplete requirements listed above, provide any additional information, and/or if any of the above year 3 requirements could not be completed due to the impacts of COVID-19, please identify the requirement that could not be completed, any actions taken to attempt to complete the requirement, and reason the requirement could not be completed below:

The Town contracted with a consulting engineer to develop a data collection system for outfall screening. Using the ESRI "Collector" app, the Town has the ability to collect outfall data in the field and easily keep track of inspection progress and areas that need to be revisited or further inspected. The process of developing the app took longer than anticipated as the Town desired a product that could be easily used by employees. The Town had budgeted for hiring 2 additional employees with the main focus of their work being storm water management (outfall screening, catch basin cleaning, etc.). Due to Covid-19, staff hiring Town-wide was suspended and current staff levels were insufficient to complete the outfall screenings. The two positions were allowed to be filled in July of 2021. The staff received training once the app was completed, and have begun inspection of outfalls. The Town plans on continuing outfall screenings into year 4 with the hope of 100% completion.

Stormwater Regulations were developed and completed by the Conservation Commission and went into effect in August 2021 after the Stormwater Bylaw was adopted in February.

Annual Requirements

- Provided an opportunity for public participation in review and implementation of SWMP and complied with State Public Notice requirements
- Kept records relating to the permit available for 5 years and made available to the public
- The SSO inventory has been updated, including the status of mitigation and corrective measures implemented
 - This is not applicable because we do not have sanitary sewer
 - This is not applicable because we did not find any new SSOs
 - The updated SSO inventory is attached to the email submission
 - The updated SSO inventory can be found at the following website:
- Properly stored and disposed of catch basin cleanings and street sweepings so they did not discharge to receiving waters
- Provided training to employees involved in IDDE program within the reporting period
- All curbed roadways were swept at least once within the reporting period
- Updated system map due in year 2 as necessary
- Enclosed all road salt storage piles or facilities and implemented winter road maintenance procedures to minimize the use of road salt
- Implemented SWPPPs for all permittee owned or operated maintenance garages, public works yards, transfer stations, and other waste handling facilities
- Updated inventory of all permittee owned facilities as necessary
- O&M programs for all permittee owned facilities have been completed and updated as necessary
- Implemented all maintenance procedures for permittee owned facilities in accordance with O&M programs
- Implemented program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- Inspected all permittee owned treatment structures (excluding catch basins)

Optional: If you would like to describe progress made on any incomplete requirements listed above, provide any additional information, and/or if any of the above annual requirements could not be completed due to the impacts of COVID-19, please identify the requirement that could not be completed, any actions taken to attempt to complete the requirement, and reason the requirement could not be completed below:

The Town had budgeted for hiring 2 additional employees with the main focus of their work being storm water management (outfall screening, catch basin cleaning, etc.). Due to Covid-19, staff hiring Town-wide was suspended and current staff levels were insufficient to complete inspections of all permittee owned treatment structures. The two positions were allowed to be filled in July of 2021.

Bacteria/ Pathogens (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)Annual Requirements*Public Education and Outreach**

- Annual message was distributed encouraging the proper management of pet waste, including noting any existing ordinances where appropriate

- Permittee or its agents disseminated educational material to dog owners at the time of issuance or renewal of dog license, or other appropriate time
- Provided information to owners of septic systems about proper maintenance in any catchment that discharges to a water body impaired for bacteria

** Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Phosphorus (Combination of Impaired Waters Requirements and TMDL Requirements as Applicable)

Annual Requirements

*Public Education and Outreach**

- Distributed an annual message in the spring (April/May) encouraging the proper use and disposal of grass clippings and encouraging the proper use of slow-release and phosphorus-free fertilizers
- Distributed an annual message in the summer (June/July) encouraging the proper management of pet waste, including noting any existing ordinances where appropriate
- Distributed an annual message in the fall (August/September/October) encouraging the proper disposal of leaf litter

** Public education messages can be combined with other public education requirements as applicable (see Appendix H and F for more information)*

Good Housekeeping and Pollution Prevention for Permittee Owned Operations

- Increased street sweeping frequency of all municipal owned streets and parking lots subject to Permit part 2.3.7.a.iii.(c) to a minimum of two times per year (spring and fall)

Potential structural BMPs

Any structural BMPs already existing or installed in the regulated area by the permittee or its agents was tracked and the phosphorus removal by the BMP was estimated consistent with Attachment 3 to Appendix F. The BMP type, total area treated by the BMP, the design storage volume of the BMP and the estimated phosphorus removed in mass per year by the BMP were documented.

- The BMP information is attached to the email submission
- The BMP information can be found at the following website:

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

Solids, Oil and Grease (Hydrocarbons), or Metals

Annual Requirements

Good Housekeeping and Pollution Prevention for Permittee Owned Operations

- Increased street sweeping frequency of all municipal owned streets and parking lots to a schedule that targets areas with potential for high pollutant loads
- Prioritized inspection and maintenance for catch basins to ensure that no sump shall be more than 50 percent full; Cleaned catch basins more frequently if inspection and maintenance activities indicated excessive sediment or debris loadings

Optional: If you would like to describe progress made on any incomplete requirements listed above or provide any additional details, please use the box below:

The Town currently sweeps all roads twice per year.
The Town is working to complete cleaning and documenting 100% of our catch basins. We are using the ESRI Collector App to collect data when cleaning basins. With this tool we are able to track basins which are more than 50% full before cleaning. After we have cleaned and inspected 100% of the catch basins in Town, we can prioritize cleaning those basins that were found to be >50% full during the next round of cleaning.

Optional: Use the box below to provide any additional information you would like to share as part of your self-assessment:

Part III: Receiving Waters/Impaired Waters/TMDL

Have you made any changes to your lists of receiving waters, outfalls, or impairments since the NOI was submitted?

- Yes
- No

If yes, describe below, including any relevant impairments or TMDLs:

Part IV: Minimum Control Measures

Please fill out all of the metrics below. If applicable, include in the description who completed the task if completed by a third party.

MCM1: Public Education

Number of educational messages completed **during this reporting period** :

Below, report on the educational messages completed **during this reporting period**. For the measurable goal(s) please describe the method/measures used to assess the overall effectiveness of the educational program.

BMP: 1-Do your "doody" for clean water

Message Description and Distribution Method:

Management of pet waste. Think Blue Massachusetts flyer distributed with dog licenses at the Town Clerk's office & posted to Town Clerk's website

Targeted Audience:

Responsible Department/Parties:

Measurable Goal(s):

2100 issued dog licenses

Message Date(s):

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP: 2-Septic System Maintenance

Message Description and Distribution Method:

EPA "septic smart" flyers distributed at Board of Health office with all septic permits

Targeted Audience:

Responsible Department/Parties:

Measurable Goal(s):

75 septic permits issued

Message Date(s): 7/1/20-6/30/21

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP:3-Spring Message - Fertilizing the Lawn

Message Description and Distribution Method:

Stormwater Pollution Education: Fertilizing the Lawn flyer posted on DPW's Stormwater management page. Social Media Posts on 4/26/21

Targeted Audience: Residents

Responsible Department/Parties: DPW Operations

Measurable Goal(s):

FaceBook - 662 people
Twitter - 439 people

Message Date(s): 7/1/20-6/30/21; social media posts on 4/26/21

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP:4-Think Blue Massachusetts "Fowl Water" advertisement

Message Description and Distribution Method:

Think Blue Massachusetts "Fowl water" advertisement campaign on FaceBook, Instagram & Youtube

Targeted Audience: Residents

Responsible Department/Parties: DPW Operations

Measurable Goal(s):

45,673 social media impressions from residents of North Attleboro

Message Date(s): 5/17/21-7/4/21

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

SRSC Think Blue advertisement

BMP: 5-Fall Message Proper Disposal of Leaf Litter

Message Description and Distribution Method:

Fall cleanup and composting in North Attleboro flyer. Posted on DPW's Stormwater page and social media posts

Targeted Audience: Businesses, institutions and commercial facilities

Responsible Department/Parties: DPW Operations

Measurable Goal(s):

FaceBook - 884 people
Twitter - 808 people

Message Date(s): 7/1/20-6/30/21 ; social media posts on 10/19/20

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP: 6-Summer Message Proper Pet waste Disposal

Message Description and Distribution Method:

Think Blue Massachusetts Flyer - Do Your Doody for Clean Water posted on DPW's Stormwater page. Social Media Posts

Targeted Audience: Residents

Responsible Department/Parties: DPW Operations

Measurable Goal(s):

FaceBook - 1347 people
Twitter - 339 people

Message Date(s): 7/1/20-6/30/21; social media posts on 6/22/21

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP: 7 "Industrial" Stormwater Pollution Prevention Guide

Message Description and Distribution Method:

SPP guide mailed along with annual billing to customers with industrial wastewater discharge permits

Targeted Audience: Industrial facilities

Responsible Department/Parties: DPW Operations

Measurable Goal(s):

30

Message Date(s): mailed in January 2021

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP: 8-Stormwater Information for Businesses

Message Description and Distribution Method:

stormwater information for businesses flyer posted on DPW's page and social media posts

Targeted Audience: Businesses, institutions and commercial facilities

Responsible Department/Parties: DPW Operations

Measurable Goal(s):

FaceBook - 759 people

Twitter - 429 people

Message Date(s): 7/1/20-6/30/21; social media posts on 7/17/20

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

BMP: 9-" Be a Good Septic Owner "

Message Description and Distribution Method:

Be a Good septic Owner flyer posted on DPW's storm water page and social media posts

Targeted Audience: Residents

Responsible Department/ Parties: DPW Operations

Measurable Goal(s):

FaceBook - 707 people

Twitter - 460 people

Message Date(s): 7/1/20-6/30/21; social media post on 8/25/20

Message Completed for: Appendix F Requirements Appendix H Requirements

Was this message different than what was proposed in your NOI? Yes No

If yes, describe why the change was made:

Add an Educational Message

MCM2: Public Participation

Describe the opportunity provided for public involvement in the development of the Stormwater Management Program (SWMP) **during this reporting period** :

The SWMP is posted to the Town website with contact information for questions/ comments

Was this opportunity different than what was proposed in your NOI? Yes No

Describe any other public involvement or participation opportunities conducted **during this reporting period**:

"Keep North Attleboro Beautiful" a non-profit organization conducted its Great American cleanup on Oct. 19, 2020 & May 1, 2021 using volunteers to clean along streets

MCM3: Illicit Discharge Detection and Elimination (IDDE)

Sanitary Sewer Overflows (SSOs)

Check off the box below if the statement is true.

- This SSO section is NOT applicable because we DO NOT have sanitary sewer

Below, report on the number of SSOs identified in the MS4 system and removed **during this reporting period**.

Number of SSOs identified:

Number of SSOs removed:

MS4 System Mapping

Optional: Provide additional status information regarding your map:

The ESRI Collector App is being utilized for catch basin inspections and cleanings. As the structures are inspected, the map is being edited & updated as needed.

Screening of Outfalls/Interconnections

If conducted, please submit any outfall monitoring results from this reporting period. Outfall monitoring results should include the date, outfall/interconnection identifier, location, weather conditions at time of sampling, precipitation in previous 48 hours, field screening parameter results, and results from all analyses. Please also include the updated inventory and ranking of outfalls/interconnections based on monitoring results.

- No outfalls were inspected
- The outfall screening data is attached to the email submission
- The outfall screening data can be found at the following website:

Below, report on the number of outfalls/interconnections screened **during this reporting period**.

Number of outfalls screened:

Below, report on the percent of outfalls/interconnections screened **to date**.

Percent of outfalls screened:

Optional: Provide additional information regarding your outfall/interconnection screening:

The Town contracted with a consulting engineer to develop a data collection system for outfall screening. Using the ESRI "Collector" app, we can now collect outfall data in the field and easily keep track of our progress. The process of developing the app took longer than anticipated. We went back and forth with the

engineer until we had a product that could be easily used by our employees. The Town was planning on hiring 2 additional employees with the main focus of their work being storm water management (outfall screening, catch basin cleaning, etc.) Due to Covid-19, the hiring of those 2 positions were delayed and current staff has not been able to complete the out fall screenings. The Town was planning on hiring 2 additional employees with the main focus of their work being storm water management (outfall screening, catch basin cleaning, etc.) Due to Covid-19, the hiring of those 2 positions has been delayed and current staff has not been able to complete the out fall screenings. The two positions were filled in July of 2021. The staff received training once the app was completed, and have begun inspection of outfalls. The Town plans on continuing outfall screenings into year 4 with the hope of 100% completion.

Catchment Investigations

If conducted, please submit all data collected during this reporting period as part of the dry and wet weather investigations. Also include the presence or absence of System Vulnerability Factors for each catchment.

- No catchment investigations were conducted
- The catchment investigation data is attached to the email submission
- The catchment investigation data can be found at the following website:

*Below, report on the number of catchment investigations completed **during this reporting period.***

Number of catchment investigations completed this reporting period:

*Below, report on the percent of catchments investigated **to date.***

Percent of total catchments investigated:

Optional: Provide any additional information for clarity regarding the catchment investigations below:

IDDE Progress

If illicit discharges were found, please submit a document describing work conducted over this reporting period, and cumulative to date, including location source; description of the discharge; method of discovery; date of discovery; and date of elimination, mitigation, or enforcement OR planned corrective measures and schedule of removal.

- No illicit discharges were found
- The illicit discharge removal report is attached to the email submission
- The illicit discharge removal report can be found at the following website:

*Below, report on the number of illicit discharges identified and removed, along with the volume of sewage removed **during this reporting period.***

Number of illicit discharges identified:

Number of illicit discharges removed:

Estimated volume of sewage removed: gallons/day

*Below, report on the total number of illicit discharges identified and removed to date. At a minimum, report on the number of illicit discharges identified and removed **since the effective date of the permit (July 1, 2018)**.*

Total number of illicit discharges identified:

Total number of illicit discharges removed:

Optional: Provide any additional information for clarity regarding illicit discharges identified, removed, or planned to be removed below:

Employee Training

Describe the frequency and type of employee training conducted **during this reporting period**:

Training was conducted on 8/4/20 and included outfall screening and sampling, catchment investigation, data collection with tablets and an overview of the IDDE program. The Collector App was ready for use in Spring 2021. Staff spent one day performing outfalls inspections to get familiar with the data collecting using their tablets and to work out any bugs.

MCM4: Construction Site Stormwater Runoff Control

*Below, report on the construction site plan reviews, inspections, and enforcement actions completed **during this reporting period**.*

Number of site plan reviews completed:

Number of inspections completed:

Number of enforcement actions taken:

Optional: Enter any additional information relevant to construction site plan reviews, inspections, and enforcement actions:

MCM5: Post-Construction Stormwater Management in New Development and Redevelopment

As-built Drawings

*Below, report on the number of as-built drawings received **during this reporting period.***

Number of as-built drawings received:

Optional: Enter any additional information relevant to the submission of as-built drawings:

The Town is on its third Town Planner in the past year. DPW is working with the Planning Dept. to develop a system to keep track of site plans, inspection, and as-built plans received. We hope to have more accurate totals in year 4.

Street Design and Parking Lots Report

Describe the status of the street design and parking lots assessment due in year 4 of the permit term, including any planned or completed changes to local regulations and guidelines:

To be completed in Year 4

Green Infrastructure Report

Describe the status of the green infrastructure report due in year 4 of the permit term, including the findings and progress towards making the practice allowable:

To be completed in Year 4

Retrofit Properties Inventory

Describe the status of the inventory, due in year 4 of the permit term, of permittee-owned properties that could be modified or retrofitted with BMPs to mitigate impervious areas and report on any properties that have been modified or retrofitted:

An inventory of permittee-owned facilities has been developed. The inventory effort included site visits and drainage infrastructure mapping. The information collected can be further evaluated to identify potential retrofit properties.

As part of a bridge replacement project, two water quality units (Stormceptors) were installed on Chestnut Street, upstream of the two outfalls to the Ten Mile River. This system collects storm water runoff from Chestnut Street and East Street.

MCM6: Good Housekeeping**Catch Basin Cleaning**

*Below, report on the number of catch basins inspected and cleaned, along with the total volume of material removed from the catch basins **during this reporting period.***

Number of catch basins inspected: Number of catch basins cleaned: Total volume or mass of material removed from all catch basins:

Below, report on the total number of catch basins in the MS4 system.

Total number of catch basins:

If applicable:

Report on the actions taken if a catch basin sump is more than 50% full during two consecutive routine inspections/cleaning events:

637 catch basins were found to be over 50% full during this round of cleaning. These locations were recorded using the ESRI Collector App and will be addressed if found over 50% full again during the next round of cleaning.

Street Sweeping

*Report on street sweeping completed **during this reporting period** using one of the three metrics below.*

Number of miles cleaned:

Volume of material removed:

Weight of material removed:

Stormwater Pollution Prevention Plan (SWPPP)

*Below, report on the number of site inspections for facilities that require a SWPPP completed **during this reporting period**.*

Number of site inspections completed:

Describe any corrective actions taken at a facility with a SWPPP:

Transfer station - 2 old vehicles were removed from the site
Smith St - drainage system was vacuumed and pipes jettted/cleaned

Additional Information

Monitoring or Study Results

Results from any other stormwater or receiving water quality monitoring or studies conducted during the reporting period not otherwise mentioned above, where the data is being used to inform permit compliance or permit effectiveness must be attached.

Not applicable

- The results from additional reports or studies are attached to the email submission
- The results from additional reports or studies can be found at the following website(s):

If such monitoring or studies were conducted on your behalf or if monitoring or studies conducted by other entities were reported to you, a brief description of the type of information gathered or received shall be described below:

Additional Information

Optional: Enter any additional information relevant to your stormwater management program implementation during the reporting period. Include any BMP modifications made by the MS4 if not already discussed above:

Stormwater Regulations were adopted by the Conservation Commission in August 2021

There are 150 miles of roads in town. All were swept twice (once Fall and Spring) so total miles swept was 300.

COVID-19 Impacts

Optional: If any of the above year 3 requirements could not be completed due to the impacts of COVID-19, please identify the requirement that could not be completed, any actions taken to attempt to complete the requirement, and reason the requirement could not be completed below:

The suspended hiring of two labor employees that were created to perform outfall inspection functions within the Highway Department. These positions have now been filled and the outfall inspections are anticipated to be completed in Year 4.

Activities Planned for Next Reporting Period

Please confirm that your SWMP has been, or will be, updated to comply with all applicable permit requirements including but not limited to the year 4 requirements summarized below. (Note: impaired waters and TMDL requirements are not listed below)

Yes, I agree

- Develop a report assessing current street design and parking lot guidelines and other local requirements within the municipality that affect the creation of impervious cover
- Develop a report assessing existing local regulations to determine the feasibility of making green infrastructure practices allowable when appropriate site conditions exist
- Identify a minimum of 5 permittee-owned properties that could potentially be modified or retrofitted

with BMPs to reduce impervious areas

Annual Requirements

- Annual report submitted and available to the public
- Annual opportunity for public participation in review and implementation of SWMP
- Keep records relating to the permit available for 5 years and make available to the public
- Properly store and dispose of catch basin cleanings and street sweepings so they do not discharge to receiving waters
- Annual training to employees involved in IDDE program
- Update inventory of all known locations where SSOs have discharged to the MS4
- Continue public education and outreach program
- Update outfall and interconnection inventory and priority ranking and include data collected in connection with the dry weather screening and other relevant inspections conducted
- Implement IDDE program
- Review site plans of construction sites as part of the construction stormwater runoff control program
- Conduct site inspection of construction sites as necessary
- Inspect and maintain stormwater treatment structures
- Log catch basins cleaned or inspected
- Sweep all curbed streets at least annually
- Continue investigations of catchments associated with Problem Outfalls
- Implemented SWPPPs for all permittee owned or operated maintenance garages, public works yards, transfer stations, and other waste handling facilities
- Review inventory of all permittee owned facilities in the categories of parks and open space, buildings and facilities, and vehicles and equipment; update if necessary
- Review O&M programs for all permittee owned facilities; update if necessary
- Implement all maintenance procedures for permittee owned facilities in accordance with O&M programs
- Implement program for MS4 infrastructure maintenance to reduce the discharge of pollutants
- Enclose all road salt storage piles or facilities and implemented winter road maintenance procedures to minimize the use of road salt
- Review as-built drawings for new and redevelopment to ensure compliance with post construction bylaws, regulations, or regulatory mechanism consistent with permit requirements
- Inspect all permittee owned treatment structures (excluding catch basins)

Provide any additional details on activities planned for permit year 4 below:

Part V: Certification of Small MS4 Annual Report 2021

40 CFR 144.32(d) Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, I certify that the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name:

Title:

Signature:

Date:

[Signatory may be a duly authorized representative]

Digitally signed by Mark Hollowell
DN: c=US, ou=Public Works, o=Town of North
Attleborough, cn=Mark Hollowell,
e=mhollowell@nattleboro.com
Reason: I am the author of this document
Location: 42 Whiting St, North Attleborough
Date: 2021-09-22 08:34:01
Font: PhantomPDF Version: 9.7.2